

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Confirmation No. 3694

Akeyuki KOMATSU et al.

Attorney Docket No. 2006 0653A

Serial No. 10/577,716

Group Art Unit 2821

Filed July 20, 2006

:

COLD-CATHODE TUBE LIGHTING DEVICE FOR USE IN A PLURALITY OF COLD-CATHODE TUBES LIT BY ONE LOW-IMPEDANCE POWER SOURCE

SUBMISSION OF ENGLISH VERSION OF INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

An English language version of the International Preliminary Report on Patentability is submitted herewith for the Examiner's consideration.

Respectfully submitted,

Akeyuki KOMATSU et al.

By:

Michael S. Huppert Registration No. 40,268 Attorney for Applicants

MSH/kjf Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 July 5, 2007

PATENT COOPERATION TREATY

PCT/JP2005/00765

5/00/65 j 80 k j

1811 **PC**

OF THE INTERNATION OF TRANSMITTAL
OF COPIES OF TRANSLATION
OF THE INTERNATIONAL PRELIMINARY REPORT
ON PATENTABILITY
(CHAPTER I OR CHAPTER II
OF THE PATENT COOPERATION TREATY)

(PCT Rules 44bis.3(c) and 72.2)

From the INTERNATIONAL BUREAU

To

HIGASHIMA, Takaharu Aoyama & Partners IMP Building, 3-7, Shiromi 1-chome Chuo-ku, Osaka-shi Osaka 540-0001 JAPON

Date of mailing (day/month/year) 23 November 2006 (23.11.2006)]
Applicant's or agent's file reference P038916-P0 665-PY	IMPORTANT NOTIFICATION
International application No. PCT/JP2005/007651	International filing date (day/month/year) 21 April 2005 (21.04.2005)
Applicant MATSUSHITA ELECTRIC	INDUSTRIAL CO., LTD. et al
	•

l.	Transmittal	of the	e translation	to	the applicant.

•	The International Bureau transmits herewith a copy of the English translation of the international preliminary report on patentability (Chapter I).
	The International Bureau transmits herewith a copy of the English translation of the international preliminary report on patentability (Chapter II).

2. Transmittal of the copy of the translation to the designated or elected Offices.

The International Bureau notifies the applicant that copies of that translation have been transmitted to the following designated or elected Offices requiring such translation:

None

The following designated or elected Offices, having waived the requirement for such a transmittal at this time, will receive copies of that translation from the International Bureau only upon their request:

AE, AG, AL, AM, AP, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EA, EC, EE, EG, EP, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OA, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

3. Reminder regarding translation into (one of) the official language(s) of the elected Office(s).

The applicant is reminded that, where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary report on patentability (Chapter II).

It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned within the applicable time limit (Rule 74.1). See Volume II of the PCT Applicant's Guide for further details.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Masashi Honda

Facsimile No. +41 22 338 82 70

Facsimile No. +41 22 338 82 70

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter I of the Patent Cooperation Treaty)

(PCT Rule 44bis)

Applicant's or agent's file reference P038916-P0	FOR FURTHER ACTION	See item 4 below	
International application No. PCT/JP2005/007651	International filing date (day/month/year) 21 April 2005 (21.04.2005)	Priority date (day/month/year) 07 May 2004 (07.05.2004)	
International Patent Classification (8th See relevant information in Form F	n edition unless older edition indicated) PCT/ISA/237		
Applicant MATSUSHITA ELECTRIC INDUS	TRIAL CO., LTD.		

1.	This international preliminary r International Searching Authori	eport on patentability (Chapter I) is issued by the International Bureau on behalf of the ty under Rule 44 bis.1(a).
2.	This REPORT consists of a total	ul of 7 sheets, including this cover sheet.
		ence to the written opinion of the International Searching Authority should be read as a reference report on patentability (Chapter I) instead.
3.	This report contains indications	relating to the following items:
	Box No. I	Basis of the report
	Вох №. П	Priority
	Box No. III	Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
	Box No. IV	Lack of unity of invention
	Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
	Box No. VI	Certain documents cited
	Box No. VII	Certain defects in the international application
	Box No. VIII	Certain observations on the international application
4.		ommunicate this report to designated Offices in accordance with Rules 44bis.3(c) and 93bis.1 but makes an express request under Article 23(2), before the expiration of 30 months from the priority

	Date of issuance of this report 14 November 2006 (14.11.2006)
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Masashi Honda
Facsimile No. +41 22 338 82 70	e-mail: pt08@wipo.int

Form PCT/IB/373 (January 2004)

PATENT COOPERATION TREATY

TRANSLATION From the INTERNATIONAL SEARCHING AUTHORITY To: WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY (PCT Rule 43bis.1) Date of mailing (day/month/year) Applicant's or agent's file reference FOR FURTHER ACTION P038916-P0 See paragraph 2 below International application No. International filing date (day/month/year) Priority date (day/month/year) PCT/JP2005/007651 21.04.2005 07.05.2004 International Patent Classification (IPC) or both national classification and IPC Applicant MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD. This opinion contains indications relating to the following items: Box No. I Basis of the opinion Box No. II Priority Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Box No. IV Lack of unity of invention Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial Box No. V applicability; citations and explanations supporting such statement Box No. VI Certain documents cited Box No. VII Certain defects in the international application Box No. VIII Certain observations on the international application **FURTHER ACTION** If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. For further details, see notes to Form PCT/ISA/220. Name and mailing address of the ISA/JP Authorized officer Facsimile No. Telephone No.

International application No.

PCT/JP2005/007651

Box	No. I	Basis of this opinion
1.		regard to the language, this opinion has been established on the basis of the international application in the language in which it was a unless otherwise indicated under this item.
		This opinion has been established on the basis of a translation from the original language into the following language
		, which is the language of a translation furnished for the purposes of international search (under
		Rule 12.3 and 23.1(b)).
2.		regard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to the claimed nation, this opinion has been established on the basis of:
	a.	type of material
		a sequence listing
		table(s) related to the sequence listing
	b.	format of material
		in written format
		in computer readable form
	c.	time of filing/furnishing
		contained in the international application as filed.
		filed together with the international application in computer readable form.
		furnished subsequently to this Authority for the purposes of search.
3.	Ш	In addition, in the case that more than one version or copy of a sequence listing and/or table(s) relating thereto has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
4.	Add	itional comments:
		·

International application No.
PCT/JP2005/007651

Box				tle 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; poorting such statement	
1.	Statement				
	Novelty (N)		Claims	1-16	YES
			Claims		NO
	Inventive step (IS)	Claims		YES
			Claims		ΝО
	Industrial appli	cability (IA)	Claims	1-16	YES
		•	Claims		NO
2.	Citations and expla	nations:			
	Document 1			4 A (Minebea Co., Ltd.), 06 December 2002, paragraph 00	
				265460 A2, paragraph 0016, Fig. 25 & US 2002/0176268 A	1 1
	D	& US 67			
	Document 2			(Kabushiki Kaisha Ryosan), 28 October 1994, paragraphs	
	Document 3			s. 8-13 (Family: none) (Seiko Epson Corp.), 17 May 1996, Full text, Fig. 1 (Famil	lv.
	Document 5	none)	277071	(Deike Epion Colp.), 1, May 1996, 1 an ion, 1 ig. 1 (1 and	. , .
	Document 4		8086 A	(Hitachi, Ltd.), 01 November 1996, Full text, Figs. 1, 3	
		(Family:	none)		
	Document 5			Toshiba Lighting & Technology Corp.), 14 February 1995,	•
				2, 0003, Fig. 6 (Family: none)	
	Document 6			A1 (KONINKLIJKE PHILIPS ELECTRONICS N.V.), 03)
				Fig. 3 & JP 2004-524660 A, paragraph 0010, Fig. 3 & US A1 & US 6509696 B2	
	Dogumant 7			6 A (NEC Lighting Kabushiki Kaisha), 15 April 2004,	
	Document /			(New Lighting Kabushiki Kaisha), 15 April 2004, (Family: none)	
	Document 8			(Masakazu USHIJIMA), 18 October 1996, Full text, all	
	Document o			3292788 B2 & US 5959412 A, Full text, all drawings	
	Document 9			A (Matsushita Electric Industrial Co., Ltd.), 10 March 200	5,
		Full text	t, all dra	awings & US 2005/0023988 A1, Full text, all drawings	
				-	

The inventions of claims 1-6, 8-12, 16 do not appear to involve an inventive step based on documents 1, 2 cited in the ISR.

Document 1 describes a cold cathode ignition device in which a balance capacitor Cb is inserted between each CFL2 and output terminal of the inverter transformer T of a closed magnetic circuit structure with a small leak impedance.

(Continued in the Supplemental Box)

International application No.
PCT/JP2005/007651

Box No. VI	Certain documents cited	·		
. Certai	in published documents (Rule 43bis.1 and 7	70.10)		
_	Application No. Patent No.	Publication date (day/month/year)	Filing date (day/month/year)	Priority date (valid claim (day/month/year)
	JP 2005-63941 A	10.03.2005	24.05.2004	30.07.2003
	[P, X]			
1	US 2005/0023988 A1	03.02.2005	08.07.2004	30.07.2003
	[P, X]			

Non-written disc	losures (Rule 43bis.1 and 70	.9)	
Kind	of non-written disclosure	Date of non-written disclosure (day/month/year)	Date of written disclosure referring to non-written disclosure (day/month/year)

International application No.
PCT/JP2005/007651

Box No. VIII

Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

(1) Claims 1, 16 describe "a synthetic impedance of a plurality of cold cathode tubes", but the state (for example, starting operation, during stable ignition, or during quenching) of the "plurality of cold cathode tubes" in which the impedance is obtained is not clear.

Furthermore, it is not clear whether "a synthetic impedance of a plurality of cold cathode tubes" is an impedance obtained when a plurality of "cold cathode tubes" are connected in parallel or an impedance obtained when a "ballast capacitor" and a "cold cathode tube are connected in serial and a plurality of resultant circuit elements are connected in parallel.

(2) Claim 8 describes that "the surface of said substrate and the surface of said cold cathode tube are disposed at a prescribed distance from each other, this distance being determined by the temperature difference and difference in potential between the two surfaces, but how the "prescribed distance" is determined "from the temperature difference and difference in potential between the two surfaces" is not clear from the description of the claim. As a result, the range corresponding to the "prescribed distance" is not clear.

International application No.
PCT/JP2005/007651

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.

Continuation of: Box V

Document 2 describes that one terminal of each of a plurality of fluorescent lamps 47 is mounted on a printed circuit substrate 80a having a ballast capacitor 89 mounted thereof, and applying this technology described in document 2 in the cold cathode igniter device described in document 1 would not be difficult.

Embedding a capacitance in a substrate by a lamination substrate is well-known technology, and employing the printed circuit substrate 80a described in document 2 as the lamination substrate and embedding a capacitor equivalent to the ballast capacitor 89 in the substrate would be a matter of design variation that can be easily achieved by a person skilled in the art.

The invention of claim 7 does not appear to involve an inventive step based on documents 1-3 cited in the ISR.

Document 3 describes that ballast capacitors 3, 4 are connected to electrodes at respective terminals of the fluorescent lamp 1.

The inventions of claims 13, 14 do not appear to involve an inventive step based on documents 1, 2, 4 cited in the ISR.

Document 4 describes a cold cathode discharge ignition device using a transformer having a structure in which a secondary winding 5 is wound about a split winding bobbin 1 equipped with a separator, an insulating layer 6 is provided on the bobbin 1, and a primary winding 7 is wound about the insulating layer 6. Applying the transformer described in document 4 in the inverter transformer of a cold cathode tube ignition device described in document 1 would not be difficult.

The invention of claim 15 does not appear to involve an inventive step based on documents 1, 2, 5 cited in the ISR.

Document 5 describes a discharge ignition device in which a plurality of discharge lamps 7a, 7b each having ballast capacitors Ca, Cb connected in series are connected in parallel with the output of the inverter circuit 6 having a half-bridge circuit 4.